KIK custom products

SAFETY DATA SHEET

Page **1** of **4**

B-9964

SDS Revision Date: 11/22/2017

		1. PRODUCT & COMPANY IDENTIFICATION
1.1	Product Name:	Sugar Beach Spray 7
1.2	Chemical Name:	Leave-In Styler Spray
1.3	Synonyms:	Kenra Platinum Sugar Beach Spray 7
1.4	Trade Names:	Sugar Beach Spray 7
1.5	Product Uses &	Professional and Cosmetic Use

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0

1.5	Restrictions	
1.6	Distributor's Name:	KIK Custom Products
1.7	Distributor's Address:	2730 Middlebury Street, Elkhart, IN, 46515 USA
1.8	Emergency Phone:	CHEMTEL: +1 (800) 424-9300 / +1 (703) 527-3887
1.9	Business Phone	+1 (574) 295-0000 / +1 (574) 296-1709

2. HAZARDS IDENTIFICATION

.1	Hazard Identification:	This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia) In case of eye contact, rinse immediately with water. For external use only. Use only as directed. KEEP OUT OF REACH OF CHILDREN
		WARNING! CAUSES EYE IRRITATION. <u>Classification:</u> Eye Irrit. 2B <u>Hazard Statements</u> (H): H319 – Causes serious eye irritation.
		Precautionary Statement (P): P264 – Wash thoroughly after handling. P305+P351+P388 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+p313 – If eye irritation persists: Get medical advice/attention

3. COMPOSITION & INGREDIENT INFORMATION					
Substance / Chemical Name(s)	CAS No.	EINECS No.	%	Other	
Water	7732-18-5	231-791-2	60-100		
PROPRIETARY BLEND	NA	NA	0 – 50	Eye Irrit. 2B; H320	

4. FIRST AID MEASURES					
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.		
		<u>Skin:</u>	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.		
		<u>Eyes:</u>	If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.		
		Inhalation:	Remove victim to fresh air and keep comfortable for breathing.		
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.		
		<u>Skin:</u>	May be irritation to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.		
		Eyes:	Moderately irritating to the eyes.		
		Inhalation:	Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).		



SAFETY DATA SHEET

Page **2** of **4**

B-9964

4.3	Symptoms of Overexposure	Ingestion:	lay cause nausea, vomiting and/or diarrl	nea and cent	ral nerv	ous syste	m depre	ssion.	
		Skin: Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of the sensitive sensitive individual sensitive inditative individual sensitive individual sensitive in							
		Eyes:	skin overexposure may include redness, itching, and irritation of affected areas.Overexposure in eyes, may cause redness, itching and watering (risk of serious damage to eyes)						
		Eyes: Contact may cause mild eye irritation including stinging, watering and redness. Inhalation: Symptoms of overexposure can include coughing, wheezing, nasal congestion, and discussed in the second se							culty
			reathing.						
4.4	Acute Health Effects:		ion to eyes and skin near affected areas.		-	dontalin	action	Those in	aradiant
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.							
4.6	Target Organs:	Eyes							.
4.7	Medical Conditions		zards may be delayed. Most common sy		HEALT				1
	Aggravated by Exposure		; properties to eyes, respiratory system a plogical conditions (such as eczema) and						0
			as bronchial asthma and/or bronchitis)			<mark>CAL HAZA</mark> ECTIVE EC		лт	A
		exacerbated.		may be	EYES				A
		.1			1				
			5. FIREFIGHTING MEASU	IRES					
5.1	Fire and Explosion Hazards:	decomposition	on-flammable. When exposed to high t products such as oxides of carbon (e.g., [;	
-		smoke.							
5.2									
	Extinguishing Methods: Firefighting Procedures:			ed breathing	appara	tus (press	sure-	\exists	
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	As in any fire,							
		As in any fire, demand_ and water spray to	ear MSHA/NIOSH approved self-containe Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect	until well af personnel.	ter the f Fight fir	ire is out. e upwind	Use . Preven		
		As in any fire, demand_ and water spray to runoff from fir	ear MSHA/NIOSH approved self-containe Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers	until well af personnel. , drains, drir	ter the f Fight fir Iking wa	ire is out. e upwind ter supply	Use . Preven y, or any		
		As in any fire, demand_ and water spray to runoff from fin natural water	ear MSHA/NIOSH approved self-contain Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea	until well af personnel. , drains, drin r including N	ter the f Fight fir hking wa IIOSH-ap	ire is out. e upwind ter supply pproved p	Use Preven y, or any ositive		
		As in any fire, demand_ and water spray to runoff from fir natural water pressure self-o	ear MSHA/NIOSH approved self-containe Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea ntained breathing apparatus to protect a	until well af personnel. , drains, drin r including N	ter the f Fight fir hking wa IIOSH-ap	ire is out. e upwind ter supply pproved p	Use Preven y, or any ositive		
		As in any fire, demand_ and water spray to runoff from fir natural water pressure self-o	ear MSHA/NIOSH approved self-contain Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea	until well af personnel. , drains, drin r including N	ter the f Fight fir hking wa IIOSH-ap	ire is out. e upwind ter supply pproved p	Use Preven y, or any ositive		
		As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit	ear MSHA/NIOSH approved self-containe Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea ntained breathing apparatus to protect a	until well af personnel. , drains, drir r including N against poter	ter the f Fight fir Nking wa NOSH-ap Ntial haz	ire is out. e upwind ter supply pproved p	Use Preven y, or any ositive		
		As in any fire, demand_ and water spray to runoff from fir natural water pressure self-o or decomposit	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea intained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s	until well af personnel. , drains, drir r including N against poter EASURES	ter the f Fight fir Iking wa IOSH-ap Itial haz	ire is out. e upwind ter supply pproved p ardous co	Use Preven y, or any positive pmbustio	on	rotective
5.3	Firefighting Procedures:	As in any fire, demand_ and water spray to runoff from fii natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea intained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s	until well af personnel. a, drains, drin r including N against poter EASURES pill cleanup	ter the f Fight firm king wa IOSH-ap ntial haz S must we	ire is out. e upwind ter supply pproved p ardous co ear appro	Use Preven y, or any positive pmbustio	on ersonal P	
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fii natural water pressure self- or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e.	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater	until well af personnel. , drains, drin r including N against poter EASURE pill cleanup ., \geq 1 gallon (rial with abso	ter the f Fight fir Iking wa IIOSH-ap Itial haz S must we (3.8 L)), y prbent m	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar	Use Preven y, or any positive priate Pe ropriate nd place	ersonal P persona into app	l protecti ropriate
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-c or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (rial with abso accordance	ter the f Fight firi Iking wa IIOSH-ap Itial haz S Must we (3.8 L)), y orbent m with loc	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar al, state a	Use Preven y, or any positive ombustio priate Pe ropriate nd place and feder	ersonal P persona into app ral regula	l protecti ropriate ation. W
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposition 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (rial with abso accordance	ter the f Fight firi Iking wa IIOSH-ap Itial haz S Must we (3.8 L)), y orbent m with loc	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar al, state a	Use Preven y, or any positive ombustio priate Pe ropriate nd place and feder	ersonal P persona into app ral regula	l protect ropriate ation. W
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposition 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (rial with abso accordance	ter the f Fight firi Iking wa IIOSH-ap Itial haz S Must we (3.8 L)), y orbent m with loc	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar al, state a	Use Preven y, or any positive ombustio priate Pe ropriate nd place and feder	ersonal P persona into app ral regula	l protect ropriate ation. W
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fii natural water pressure self-c or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and v	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (ial with abso accordance f warm wate	ter the f Fight firi- iking wa IOSH-ap ntial haz S must we (3.8 L)), 1 orbent m with loc or and so	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar al, state a	Use Preven y, or any positive ombustio priate Pe ropriate nd place and feder	ersonal P persona into app ral regula	l protect ropriate ation. W
5.3	Firefighting Procedures:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected are clothing and v	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea intained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty o sh thoroughly before reuse.	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (ial with abso accordance f warm wate	ter the f Fight firi- iking wa IOSH-ap ntial haz S must we (3.8 L)), 1 orbent m with loc or and so	ire is out. e upwind ter supply proved p ardous co ear appro wear appro naterial ar al, state a	Use Preven y, or any positive ombustio priate Pe ropriate nd place and feder	ersonal P persona into app ral regula	l protect ropriate ation. W
6.1	Firefighting Procedures: Spills: Work & Hygiene Practices	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected are clothing and v 7. HA Do not eat, dr	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gean tained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty o sh thoroughly before reuse.	until well af personnel. c, drains, drin r including N against poter EASURES pill cleanup $r, \ge 1$ gallon (rial with abso accordance f warm wate	ter the f Fight firi- Iking wa IIOSH-ap IIOSH-ap IIOSH-ap IIOSH-ap IIOSH-ap IIOSH-ap IIOSH-ap IION	ire is out. e upwind. ter supply proved p ardous co ear appro wear appro naterial ar al, state a pap. Remo	Use Preven y, or any positive ombustio priate Pe nd place and feder ove any o	ersonal P persona into app ral regula contamin	l protect ropriate ation. W nated
6.1	Firefighting Procedures: Spills:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and w 7. HA Do not eat, dr Use and store excessive heat	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. DLING AND STORAGE INI s, or smoke while handling this product a cool, dry, well-ventilated location (e.g nd open flames.	until well af personnel. c, drains, drin r including N against poter EASURES pill cleanup $r, \ge 1$ gallon (rial with abso accordance f warm wate FORMA	ter the f Fight firi- Right mailed IOSH-ap IOSH-AD IOS	ire is out. e upwind. ter supply proved p ardous co ear appro wear appro wear appro al, state a ap. Remo ilation, fa	Use Preven y, or any positive ombustio priate Pe nopriate nd place and feder ove any o	ersonal P persona into app ral regula contamin	l protect ropriate ation. W nated
5.3 6.1 7.1 7.2	Firefighting Procedures: Spills: Work & Hygiene Practices	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and w 7. HA Do not eat, dr Use and store excessive heat	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea intained breathing apparatus to protect a in products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s b. e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. DLING AND STORAGE INI s, or smoke while handling this product a cool, dry, well-ventilated location (e.g.	until well af personnel. c, drains, drin r including N against poter EASURES pill cleanup $r, \ge 1$ gallon (rial with abso accordance f warm wate FORMA	ter the f Fight firi- Right mailed IOSH-ap IOSH-AD IOS	ire is out. e upwind. ter supply proved p ardous co ear appro wear appro wear appro al, state a ap. Remo ilation, fa	Use Preven y, or any positive ombustio priate Pe nopriate nd place and feder ove any o	ersonal P persona into app ral regula contamin	l protect ropriate ation. W nated
5.3 6.1 7.1 7.2	Firefighting Procedures: Spills: Work & Hygiene Practices Storage and Handling:	As in any fire, demand_and water spray to runoff from fii natural water pressure self- or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and v 7. HA Do not eat, dr Use and store excessive heat Spilled materi	ear MSHA/NIOSH approved self-container III protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty o sh thoroughly before reuse. IDLING AND STORAGE INI s, or smoke while handling this product a cool, dry, well-ventilated location (e.g nd open flames. may present a slipping hazard if left una	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup , ≥ 1 gallon (ial with abso accordance f warm wate FORMA	ter the f Fight fir Iking wa IIOSH-ap IIOSH-AP IIIOSH-AP IIIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP	ire is out. e upwind ter supply proved p ardous co ear appro wear appro haterial ar al, state a bap. Remo ilation, fa	Use Preven y, or any positive ombustio priate Pe nopriate nd place and feder ove any o	ersonal P persona into app ral regula contamin	l protect ropriate ation. W nated
5.3 6.1 7.1 7.2 7.3	Firefighting Procedures: Spills: Work & Hygiene Practices Storage and Handling: Special Precautions:	As in any fire, demand_and water spray to runoff from fii natural water pressure self- or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and v 7. HA Do not eat, dr Use and store excessive heat Spilled materi	ear MSHA/NIOSH approved self-contained Il protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or <u>large spills</u> (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. IDLING AND STORAGE INI x, or smoke while handling this product a cool, dry, well-ventilated location (e.g nd open flames. may present a slipping hazard if left una	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (rial with abso accordance f warm wate FORMA	ter the f Fight fir Iking wa IIOSH-ap IIOSH-AP IIIOSH-AP IIIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP	ire is out. e upwind. ter supply oproved p ardous co ear appro wear appro wear appro al, state a ap. Remo ilation, fa bills prom	Use Preven y, or any positive ombustio priate Pe nopriate nd place and feder ove any o	ersonal P persona into app ral regula contamin p away f	l protect ropriate ation. W hated
5.3 6.1 7.1 7.2	Firefighting Procedures: Spills: Work & Hygiene Practices Storage and Handling: Special Precautions: Exposure Limits:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and w 7. HA Do not eat, dr Use and store excessive heat Spilled materi 8. EXPOS	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gean ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s b. e.g., < 1 gallon (3.8 L)) or large spills (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. IDLING AND STORAGE INI s, or smoke while handling this product a cool, dry, well-ventilated location (e.g. nd open flames. may present a slipping hazard if left una ACGIH NOHSO	until well af personnel. c, drains, drin r including N against poter EASURES pill cleanup $r, \ge 1$ gallon (cial with abso accordance f warm wate FORMA c, local exhau ttended. Cleanup	ter the f Fight firi- Right main IOSH-ap IOSH-	ire is out. e upwind. ter supply proved p ardous co ear appro wear appro wear appro aterial ar al, state a bap. Remo illation, fa pills prom OSHA	Use Preven y, or any positive ombustio priate Pe nopriate nopriate and feder ove any o ns). Kee	ersonal P persona into app ral regula contamin	l protect ropriate ation. W hated
5.3 6.1 7.1 7.2 7.3	Firefighting Procedures: Spills: Work & Hygiene Practices Storage and Handling: Special Precautions:	As in any fire, demand_and water spray to runoff from fii natural water pressure self- or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and v 7. HA Do not eat, dr Use and store excessive heat Spilled materi	ear MSHA/NIOSH approved self-contained II protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers by. Firefighters must use full bunker gean ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s b. e.g., < 1 gallon (3.8 L)) or large spills (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. IDLING AND STORAGE INI s, or smoke while handling this product a cool, dry, well-ventilated location (e.g. nd open flames. may present a slipping hazard if left una ACGIH NOHSO	until well af personnel. c, drains, drin r including N against poter EASURES pill cleanup $r, \ge 1$ gallon (cial with abso accordance f warm wate FORMA c, local exhau ttended. Cleanup	ter the f Fight fir Iking wa IIOSH-ap IIOSH-AP IIIOSH-AP IIIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP IIOSH-AP	ire is out. e upwind. ter supply oproved p ardous co ear appro wear appro wear appro al, state a ap. Remo ilation, fa bills prom	Use Preven y, or any positive ombustio priate Pe nopriate nd place and feder ove any o	ersonal P persona into app ral regula contamin p away f	l protect ropriate ation. W hated
5.3 6.1 7.1 7.2 7.3	Firefighting Procedures: Spills: Work & Hygiene Practices Storage and Handling: Special Precautions: Exposure Limits:	As in any fire, demand_and water spray to runoff from fin natural water pressure self-o or decomposit 6. Before cleanir Equipment (PI For <u>small spills</u> equipment (e. closed contair all affected ar clothing and w 7. HA Do not eat, dr Use and store excessive heat Spilled materi 8. EXPOS Chemical Nam NA	ear MSHA/NIOSH approved self-contained ll protective gear. Keep containers cool ool fire-exposed surfaces and to protect control or dilution from entering sewers y. Firefighters must use full bunker gea ntained breathing apparatus to protect a n products and oxygen deficiencies. ACCIDENTIAL RELEASE MI any spill or leak, individuals involved in s). e.g., < 1 gallon (3.8 L)) or large spills (e.g. goggles, gloves). Remove spilled mater rs(s) for disposal. Dispose of properly in s and outside of container with plenty or sh thoroughly before reuse. DLING AND STORAGE INI k, or smoke while handling this product a cool, dry, well-ventilated location (e.g. nd open flames. may present a slipping hazard if left una RE CONTROLS & PERSON ACGIH NOHSC s) TLV STEL ES-TWA ES-STE	until well af personnel. , drains, drin r including N against poter EASURES pill cleanup ., \geq 1 gallon (rial with abso accordance f warm wate FORMA ., local exhan ttended. Clean AL PRO	ter the f Fight firi- Right firi- Right firi- Right firi- Right firi- Right firi- Right firi- S must we (3.8 L)), for borbent m with loc or and so FION ust vent ean all sp FECTI PEL NA	ire is out. e upwind. ter supply poproved p ardous co ear appro wear appro wear appro aterial ar al, state a bap. Remo illation, fa oills prom OSHA STEL NA	Use Preven y, or any positive priate Pe nopriate nopriate and feder ove any o ns). Kee ptly.	personal P persona into app ral regula contamin p away f	l protect ropriate ation. W hated



SAFETY DATA SHEET

Page **3** of **4**

B-9964

	pared to OSHA, ACC, ANSI, N	IOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/22/2017
3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
.4	Eye Protection:	None required under normal conditions of use. Avoid eye contact. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)).
3.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.
.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., \geq 5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
.1	Appearance:	Clear Water white liquid
).1).2	Odor:	Fruity - Floral
9.2 9.3	Odor Threshold	NA
).4	pH:	4.0 - 6.0
).5	Melting/Freezing Point	NA
9.6	Initial Boiling Point/ Boiling Range:	NA
).7	Flashpoint:	NA
9.8	Upper/Lower Flammability limits	NA
.9	Vapor Pressure:	NA
9.10	Vapor Density	NA
.11	Relative Density:	0.96 - 1.00
).12	Solubility:	Soluble
).13	Partition Coefficient (log Pow):	ΝΑ
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature.	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA 0% VOC
		10. STABILITY & REACTIVITY
L0.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂)
0.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid	Open flames, sparks and high heat.
.0.5	Incompatible Substances	None known.
		11. TOXICOLOGICAL INFORMATION
1.1	Routes of Entry:	Inhalation: No Absorption: No Ingestion: YES
1.2	Toxicity Data:	This product was not tested on animals.
1.3		See Section 4.4
1.4	Chronic Toxicity:	See Section 4.5
1.5		No.
1.6		This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.
4 -	Luther of B. J. J.	Construction 4.2
11.7	Irritancy of Product:	See Section 4.3
11.7 11.8 11.9	Irritancy of Product: Biological Exposure Indices: Physician Recommendations:	See Section 4.3 NA Treat symptomatically.



SAFETY DATA SHEET

Page 4 of 4

B-9964

Prepared to OSHA, ACC, ANSI	NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/22/2017					
	12. ECOLOGICAL INFORMATION					
12.1 Environmental Stability:	There is no specific data available for this product.					
2.2 Effects on Plants & Animals	There is no specific data available for this product.					
2.3 Effects on Aquatic Life:	The product itself has not been tested as a whole. There is no specific data available for this product.					
	13. DISPOSAL CONSIDERATIONS					
3.1 Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate					
	disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state and fede					
	laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide					
	treatment, transport, storage and disposal of hazardous waste.					
3.2 Special Considerations:	California Waste Code 331					
	14. TRANSPORTATION INFORMATION					
4.1 49 CFR (GND):	NOT REGULATED					
4.2 IATA (AIR)	NOT REGULATED					
4.3 IMDG (OCN):	NOT REGULATED					
4.4 TDGR (Canadian GND):	NOT REGULATED					
4.5 ADR/RID (EU):	NOT REGULATED					
4.6 SCT (MEXICO):	NOT REGULATED					
.4.7 ADGR (AUS):	NOT REGULATED					
	15. REGULATORY INFORMATION					
5.1 SARA Reporting	This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.					
5.2 SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
5.3 TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.					
5.4 CERCLA Reportable Quantity (RQ):	NA					
5.5 Other Federal Requirement	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G.					
5.6 Other Canadian Regulations	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List.					
.5.7 State Regulatory Informatio						
	California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusett Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jerso					
	Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissi Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
.5.8 Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC:					
	Irritant (Xi). Risk Phrases (R): 36 – Irritating to eyes. Safety Phrases (S): 25-45 – Avoid contact with eyes. In					
	case of accident or if you feel unwell, seek medical advice immediately (show the label where possible.					
	16. OTHER INFORMATION					
6.1 Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Avoid eye contact. Irritating to eyes. In case of accident or if you					
our other mornation.	feel unwell, seek medical advice immediately. Discontinue use immediately if skin irritation develops.					
	KEEP OUT OF REACH OF CHILDREN.					
6.2 Terms & Definitions:	See last page of this Safety Data Sheet.					
6.3 Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the base of KIK Custom Product's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or complete=ness are not guaranteed and accurate as of this date; however, accuracy, suitability or complete=ness are not guaranteed and accurate as of the product or provided. The information contained herein relates only to the					
	no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the					
	specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data n be changed from time to time. Be sure to consult the latest edition.					
6.4 Prepared By:	KIK Custom Products					
	2730 Middlebury Road					
	2730 Middlebury Road Elkhart, Indiana 46515 USA http://www.kikcorp.com					
	http://www.kikcorp.com					
	http://www.kikcorp.com					