

B-9946 E

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1. SDS Revision Date: 12-18-2017

| 1. PRODUCT & COMPANY IDENTIFICATION | | | | |
|-------------------------------------|--------------------------------|--|--|--|
| 1.1 | Product Name: | Kenra Professional Color Maintenance Hairspray | | |
| 1.2 | Chemical Name: | Aerosol Hairspray | | |
| 1.3 | Synonyms: | Color Maintenance Hairspray B-9946 E | | |
| 1.4 | Trade Names: | Kenra Professional Color Maintenance Hairspray | | |
| 1.5 | Product Uses & Restrictions | Professional and Cosmetic Use | | |
| 1.6 | Distributor's Name: | KIK Custom Products | | |
| 1.7 | Distributor's Address: | 2030 Old Candler Road, Gainesville, GA 30507 USA | | |
| 1.8 | Emergency Phone: | CHEMTEL: +1 (703) 527-3887 / +1 (800) 424-9300 | | |
| 1.9 | Business Phone / Fax: | +1 (770) 534-0300 / +1 (770) 534-8954 | | |
| | | | | |

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.

<u>Classification:</u> Level 1 Aerosol; Category 2 Flammable Aerosol

Hazard Statements:

Flammable Aerosol- Category 2 Gases under Pressure – Liquefied Gas

Causes eye irritation -Category 2 - Sub category B

<u>Precautionary Statement</u> (P): Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

<u>Precautionary Statements – response</u>: Avoid breathing vapors/spray. Use only in well-ventilated area. IF INHALED; Remove person to fresh air and keep comfortable for breathing. IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present, continue rinsing. If eye irritation persists: Get medical advice/attention.

<u>Precautionary Statements – Storage</u>: Protect from sunlight. Do no expose to temperature exceeding 48°C (120 °F). Keep product locked up and out of reach of children. Store in well ventilated areas. <u>Precautionary Statements – Disposal</u>: Dispose of contents/container to licensed and permitted disposal or recycling facility.

Hazards not otherwise classified (HNOC)

Not Applicable



3. COMPOSITION & INGREDIENT INFORMATION

| Substance / Chemical Name(s) | CAS No. | EINECS No. | % | Other |
|---------------------------------|---------|------------|-------|--------------------|
| ETHANOL (SD ALCOHOL 40B) | 64-17-5 | 200-578-6 | 30-60 | Flam. Liq. 2; H225 |
| DIFLUOROETHANE (R-152a) | 75-37-6 | 200-866-1 | 25-45 | Flam. Gas 1; H220 |

4. FIRST AID MEASURES

| | | | 41 1 1110 1 7 11 D 11 12 13 O 11 E 3 |
|---|------------|-------------|--|
| 4.1 | First Aid: | Ingestion: | If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. |
| Skin: thorough washing of the affected are and wash thoroughly before ruse. If i immediately. If product get in the eyes, flush with comparison of the affected are and wash thoroughly before ruse. If in immediately. | | Skin: | If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately. |
| | | Eyes: | If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention. |
| | | Inhalation: | Remove victim to fresh air and keep comfortable for breathing. |



B-9946 E

| | - | | | | | | |
|-----|---|--|--|-----------------------------------|--------------------|--|--|
| 4.2 | Effects of Exposure: | Ingestion: | If product is swallowed, may cause nausea, vomiting a depression. | and/or diarrhea and central ne | rvous system | | |
| | | Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, derma in some sensitive individuals upon prolonged or repeated exposure. | | | | | |
| | Eyes: Moderately irritating to the eyes. | | | | | | |
| | | 2700. | Vapors of this product may be moderately irritating to | o the nose, throat and other tis | sues of the | | |
| | | | respiratory system. Symptoms of overexposure can in | | | | |
| | | <u>Inhalation:</u> | and difficulty breathing. Inhalation of concentrated v | | _ | | |
| | | | drowsiness, dizziness, headaches, nausea). | | | | |
| 4.3 | Symptoms of Overexposure | Ingestion: | May cause nausea, vomiting and/or diarrhea and cen | tral nervous system depression | | | |
| | | | Prolonged contact with skin may result in bleaching a | nd irritation of skin. The produ | ct can cause | | |
| | | Skin: | allergic skin reactions (e.g., rashes, welts, dermatitis) | | symptoms of skin | | |
| | | | overexposure may include redness, itching, and irritate | | | | |
| | | Eyes: | Overexposure in eyes, may cause redness, itching and | | ige to eyes) | | |
| | | | Contact may cause mild eye irritation including stinging | | | | |
| | | Inhalation: | Symptoms of overexposure can include coughing, wh | | | | |
| 4.4 | Acute Health Effects: | | tion to eyes and skin near affected areas. Additionally, | high concentrations of vapors | can cause | | |
| | | | ziness, headaches and nausea. | | | | |
| 4.5 | Chronic Health Effects: | be irritating to s | hronic health effects are expected to occur from a sing skin and mucous membrane of the eye and respiratory | system. Overexposure may trig | gger asthma-like | | |
| 1.5 | Ciri Gille Fredici Errects. | | me sensitive individuals. May also induce skin sensitiza | ation and respiratory hypersens | sitivity. Possible | | |
| 1.0 | T | allergic dermati | | | | | |
| 4.6 | Target Organs: | Eyes, skin, respi | | 115.1.51 | | | |
| 4.7 | Medical Conditions | | zards may be delayed. Most common symptoms | HEALTH | 1 | | |
| | Aggravated by Exposure | | g properties to eyes, respiratory system and skin. | FLAMMABILITY | 0 | | |
| | | _ | ng dermatological conditions (such as eczema) and respiratory tions (such as bronchial asthma and/or bronchitis) may be PROTECTIVE EQUIPMEN | | | | |
| | | exacerbated. | r as bronchial astillia and/or bronchitis/ may be | PROTECTIVE EQUIPMENT EYES SKIN | В | | |
| | | | | LTLS SKIN | | | |
| | | | 5. FIREFIGHTING MEASURES | | | | |
| 5.1 | Fire and Explosion Hazards: | Level 1 Aerosol | (NFPA 30B). Aerosols may burst at temperatures abov | e 120° F. Cool uninvolved | | | |
| 3.1 | · · · · · · · · · · · · · · · · · · · | | revent possible bursting. Aerosols may be projectile ha | | | | |
| | | | rsting, stay clear until bursting is complete. Containers | | | | |
| | | | ds and/or exposed gases if exposed to the heat of fire. | | • | | |
| | | | with water until the fire has been extinguished. | | | | |
| 5.2 | Extinguishing Methods: | | m, CO ₂ , Dry Chemical | | | | |
| 5.3 | Firefighting Procedures: | | vear MSHA/NIOSH approved self-contained breathing a | pparatus (pressure- | | | |
| | | | ull protective gear. Keep containers cool until well afte | | | | |
| | | spray to cool fir | e-exposed surfaces and to protect personnel. Fight fire | e upwind. Prevent runoff | | | |
| | | from fire contro | ol or dilution from entering sewers, drains, drinking wat | er supply, or any natural | ~ | | |
| | | waterway. Fire | fighters must use full bunker gear including NIOSH-app | roved positive pressure self- | | | |
| | | contained breat | thing apparatus to protect against potential hazardous | combustion or | | | |
| | decomposition products and oxygen deficiencies. | | | | | | |
| | | | | | | | |
| | | 6 | 5. ACCIDENTIAL RELEASE MEASURI | ES | | | |
| 6.1 | Spills: | Before cleaning | any spill or leak, individuals involved in spill cleanup m | ust wear appropriate Personal | Protective | | |
| | | Equipment (PPE | Ξ). | | | | |
| | | Small spills Wea | ar appropriate personal protective equipment including | gloves and protective eyewea | r. Use a non- | | |
| | | | aterial such as vermiculite or sand to soak up the produ | | | | |
| | | | er or a material such as "speedy dry" to soak up materi | | | | |
| | | | plastic brooms, shovels, dustpans) and place into a plas | | | | |
| | | container. | | | | | |
| | | | ep incompatible materials (e.g., organics such as oil) aw | | | | |
| | | release. Isolate | immediate hazard area and keep unauthorized person | nel out of area. Stop spill or re | lease if it can be | | |
| | | | | | | | |
| ļ | | done with minir | mal risk. Wear appropriate protective equipment inclu | ding respiratory protection as o | conditions | | |



B-9946 E

| | 7. HANDLIN | G AND S | TORA | GE INF | ORMA | TION | | | | |
|--|---|--|--|--|--|---|---|---|---|--|
| Work & Hygiene Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye | | | | | | | | | | |
| Practices | contact is possible. Wash unintentional residues with soap and warm water. | | | | | | | | | |
| Storage and Handling: | Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct | | | | | | | | | |
| Special Precautions: | Spilled material may present | a slipping ha | zard if let | t unattend | ded. Clean | all spills pr | omptly. | | | |
| | 8 EXPOSURE CO | NTROI S | & DF | RSON/ | \I PR∩ | TECTIO | N | | | |
| | | | | | | OTHER | | | | |
| | Chemical Name(s) | | | FS-T\MA | | FS-DFΔK | | | _ | 1 |
| i piii (iii8/iii / | • , , | | | | | | | | | |
| | | | | | | | | | | |
| Ventilation & | | | | | | | | | | <u> </u> |
| Engineering Controls | | | | | | | | | - | |
| Respiratory Protection: | No special respiratory protect | tion is requir | ed under | typical cir | cumstance | s of use or | handling | | | |
| | | | | | | | | | | |
| | 1 | - | | | | _ | | | | |
| | | 1-93 and appl | icable sta | andards of | Canadian | Provinces, E | EC memb | er | | |
| - D : :: | , | 1 | | • • | | | | | | |
| Eye Protection: | | | | | | | | 2 | E | |
| Hand Protection: | None required under normal | conditions of | fuse Ho | wever ma | av cause sk | in irritation | is some | | | |
| Tidila i Totection. | | | | | | | | | | |
| | | | | (6.) _ | _ 8 (- | -/// | , | | L. A | |
| | | | | | | | | | | |
| Body Protection: | No apron required when har | ıdling small qı | uantities | When ha | ndling larg | e quantities | s (e.g., <u>></u> | 5 | | |
| | lbs.), eye wash station and d | eluge shower | s should | be availab | le. Upon c | ompletion o | of work | | | |
| | activities involving large quantities of this product, wash any exposed areas thoroughly with | | | | | | | | | |
| | soap and water. | | | | | | | | | |
| | 9. PHYS | ICAL & CH | IEMICA | AL PROP | ERTIES | | | | | |
| Appearance: | Aerosol, clear misty spray of | liquid | | | | | | | | |
| Odor: | | • | | | | | | | | |
| Odor Threshold | NA NA | | | | | | | | | |
| | | | | | | | | | | |
| pH: | NA | | | | | | | | | |
| pH: Melting/Freezing Point | | | | | | | | | | |
| | NA | | | | | | | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: | NA NA NA | | | | | | | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: | NA NA | lant only: 35. | 6 °F (2 °C |) EPA metl | nod 1010 (| concentrate | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower | NA NA NA | lant only: 35. | 6 °F (2 °C |) EPA metl | nod 1010 (| concentrate | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: | NA NA NA -30 °F (-34 °C) TCC for propel NA | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: | NA NA -30 °F (-34 °C) TCC for propel | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density | NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: | NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: | NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient | NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): | NA NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble NA | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition | NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: | NA NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble NA NA | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition | NA NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble NA | - | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature. | NA NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble NA NA NA | re not to exce | | | | | e only) | | | |
| Melting/Freezing Point Initial Boiling Point/ Boiling Range: Flashpoint: Upper/Lower Flammability limits Vapor Pressure: Vapor Density Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature: Decomposition | NA NA NA -30 °F (-34 °C) TCC for propel NA @ 20 °C (68° F) – Can pressu >1 0.81-0.85 Soluble NA NA | re not to exce | eed 180 p | | | | e only) | | | |
| | Practices Storage and Handling: Special Precautions: Exposure Limits: Ppm (mg/m³) Ventilation & Engineering Controls Respiratory Protection: Eye Protection: Hand Protection: Body Protection: | Container(s). When used as a contact is possible. Wash un Use and store in a cool, dry, sunlight. Avoid temperature physical damage. To avoid u Special Precautions: Special Precautions: Special Precautions: Special Precautions: Spilled material may present Chemical Name(s) ETHANOL(SD ALCOHOL 40B) DIFLOROETHANE (R-152a) Ventilation & General mechanical (e.g., far exhaust ventilation to effection product. Respiratory Protection: No special respiratory protection in instances where dusts of the use only protection authorized Canadian CAS Standard Z94.4 States, or Australia. Eye Protection: None required under normal used when handling or using when handling or using in the protection in the provious plastic graph of the protection in the provious plastic graph of the provious plant of the provious plant of the provious plant of the provious plant of the p | Container(s). When used as intended, no contact is possible. Wash unintentional recontact is possible. Wash unintentional reconting to splice in a cool, dry, well-ventilate sunling has been allowed as intentional reconting to splice in a cool, dry, well-ventilate sunling in a cool, dry, well-ventilate sunling is possible in a cool dry wash | container(s). When used as intended, no additional contact is possible. Wash unintentional residues were use only protection: Storage and Handling: Special Precautions: Special Name(s) Ethanol(sd AlcOHOL 40B) DiffLOROETHANE (R-152a) Special Precaution in the product and previous product. Respiratory Protection: No special respiratory protection is required under In instances where dusts of this product are general use only protection authorized by 29 CFR §1910.13 Canadian CAS Standard Z94.4-93 and applicable states, or Australia. Eye Protection: None required under normal conditions of use. Avoided when handling or using large quantities of this sensitive individuals. When handling large quantities in itrile or impervious plastic gloves. Special Precautions No apron required when handling small quantities. Ibs.), eye wash station and deluge showers should activities involving large quantities of this product, soap and water. Special Precautions and intentional previous plastic gloves. Special Precautions ACGIH TLV STEL ACGIH TLV STEL STEL SACGIH TLV STEL STEL SACGIH TLV STEL STEL SACGIH TLV STEL SACGIH TLV | container(s). When used as intended, no additional protective contact is possible. Wash unintentional residues with soap a Use and store in a cool, dry, well-ventilated location (e.g., loc sunlight. Avoid temperatures above 120 °F. Keep away from physical damage. To avoid unintentional spraying, keep cap in Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattend strength | container(s). When used as intended, no additional protective equipme contact is possible. Wash unintentional residues with soap and warm w Use and store in a cool, dry, well-ventilated location (e.g., local exhaust sunlight. Avoid temperatures above 120 °F. Keep away from incompati physical damage. To avoid unintentional spraying, keep cap in place where the spread of the protection is physical damage. To avoid unintentional spraying, keep cap in place where the spread of the spraying hazard if left unattended. Clean spread of the spread of | container(s). When used as intended, no additional protective equipment is neces contact is possible. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substar physical damage. To avoid unintentional spraying, keep cap in place when not in u Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills proper the property of the pr | container(s). When used as intended, no additional protective equipment is necessary. Us contact is possible. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) as sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Prophysical damage. To avoid unintentional spraying, keep cap in place when not in use. Store Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. **REXPOSURE CONTROLS & PERSONAL PROTECTION** Exposure Limits: Ppm (mg/m³) Exposure Limits: Chemical Name(s) Chemical Name(s) ETHANOL(5D ALCOHOL 40B) DIFLOROETHANE (R-152a) General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated by product. Respiratory Protection: Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling in instances where dusts of this product are generated, and respiratory protection is neede use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC members and the product under normal conditions of use. Avoid eye contact. Safety glasses should be used when handling or using large quantities of this product (e.g., ≥ 1 gallon (3.8 L)). Hand Protection: None required under normal conditions of use. However, may cause skin irritation is some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1bs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this pr | Container(s). When used as intended, no additional protective equipment is necessary. Use chemical grontact is possible. Wash unintentional residues with soap and warm water. Storage and Handling: Special Precautions: Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled | Container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if e contact is possible. Wash unintentional residues with soap and warm water. Storage and Handling: Storage and Handling: Storage and Handling: Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Special Precautions: Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Spilled material may present a slipping hazard if left |



B-9946 E

| | | 10. STABILITY & REACTIVITY | | | | |
|------|-----------------------------|--|--|--|--|--|
| 10.1 | Stability: | Stable at normal temperatures. | | | | |
| | Hazardous | · | | | | |
| | Decomposition | Oxides of carbon (CO, CO ₂) and sulfur (SO ₂) | | | | |
| | Products: | | | | | |
| 10.3 | Hazardous | Will not occur | | | | |
| | Polymerization: | Will not occur. | | | | |
| 10.4 | Conditions to Avoid | Excessive heat, direct sunlight, flames, heat sources and incompatible substances. | | | | |
| 10.5 | | | | | | |
| | Substances | Trincare With Strong acids, and also of chargers. | | | | |
| | | 11. TOXICOLOGICAL INFORMATION | | | | |
| 11.1 | Routes of Entry: | Inhalation: YES Absorption: YES Ingestion: YES | | | | |
| 11.2 | Toxicity Data: | This product was not tested on animals. Toxicology data, found in scientific literature, is available and not presented in | | | | |
| | | this document. <u>Hydrofluorocarbon-152a:</u> LC ₅₀ (inh, 2 h, mouse): 977 g/m ³ | | | | |
| 11.3 | Acute Toxicity: | See Section 4.4 | | | | |
| 11.4 | Chronic Toxicity: | See Section 4.5 | | | | |
| 11.5 | Suspected Carcinogen: | No. | | | | |
| | Reproductive Toxicity: | This product is not reported to cause reproductive toxicity in humans. | | | | |
| | Mutagenicity: | This product is not reported to produce mutagenic effects in humans. | | | | |
| | Embryotoxicity: | This product is not reported to produce embryotoxic effects in humans. | | | | |
| | Teratogenicity: | This product is not report to cause teratogenic effects in humans. | | | | |
| | Reproductive Toxicity: | This product is not report to cause reproductive effects in humans. | | | | |
| 11.7 | Irritancy of Product: | See Section 4.3 | | | | |
| 11.8 | Biological Exposure | NA NA | | | | |
| | Indices: | IVA | | | | |
| 11.9 | Physician | Treat symptomatically. | | | | |
| | Recommendations: | The state of the s | | | | |
| | | 12. ECOLOGICAL INFORMATION | | | | |
| 12.1 | For the managed Chalith | | | | | |
| | , | There is no specific data available for this product. | | | | |
| 12.2 | Effects on Plants & Animals | There is no specific data available for this product. | | | | |
| 12.3 | Effects on Aquatic Life: | The product itself has not been tested as a whole. There is no specific data available for this product. | | | | |
| | | 13. DISPOSAL CONSIDERATIONS | | | | |
| 12.1 | Masta Diagnasali | | | | | |
| 13.1 | Waste Disposal: | Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with | | | | |
| | | local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed | | | | |
| | | facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. | | | | |
| 13 2 | Special Considerations: | U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001) | | | | |
| 13.2 | Special Considerations: | old. Elithidada Waste Gharacteristic Ighitable (5001) | | | | |
| | | 14. TRANSPORTATION INFORMATION | | | | |
| 14.1 | 49 CFR (GND): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or | | | | |
| | | CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) – until 12/31/2020 | | | | |
| 14.2 | IATA (AIR) | UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL < 0.5 L); or | | | | |
| | | ID8000, CONSUMER COMMODITY, ORM-D (IP VOL < 0.5 I=L) | | | | |
| | IMDG (OCN): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L) | | | | |
| 14.4 | TDGR (Canadian GND): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL < 1.0 L); or | | | | |
| | | MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE" | | | | |
| | ADR/RID (EU): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL <u><</u> 1.0 L) | | | | |
| | SCT (MEXICO): | UN1950, AEROSOLES, 2.1 (CANTIDAD LIMITADA, IP VOL < 1.0 L) | | | | |
| 14.7 | ADGR (AUS): | UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL <u><</u> 1.0 L) | | | | |
| | | 45. DECUMATORY INTORNATION | | | | |
| | | 15. REGULATORY INFORMATION | | | | |






B-9946 E

| 15.1 | SARA Reporting Requirements: | This product does not contain any substance subject to SATA Title III, section 313 reporting requirements. | | | | |
|------|--------------------------------------|---|------------------------|--|--|--|
| 15.2 | SARA Threshold Planning Quantity: | There are no specific Threshold Planning Quantities for the components of this product. | | | | |
| 15.3 | TSCA Inventory Status: | The components of this product are listed on the TSCA Inventory. | | | | |
| 15.4 | CERCLA Reportable Quantity (RQ): | Ethanol: 2270 kg; 5000 lbs. | | | | |
| 15.5 | Other Federal Requirements: | This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G. (Cosmetics) | | | | |
| | Regulations: | This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol) | | | | |
| 15.7 | State Regulatory Information: | Ethanol is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know list (PA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ). Difluoroethane can be found on the following state criteria lists: MA and NJ. No other ingredients of this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). | | | | |
| 15.8 | Other Requirements: | The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Ethanol:</u> Flammable (F). <u>Risk Phrases</u> *: 11 – Flammable. <u>Safety Phrases</u> (S): 2-7-16 – Keep out of reach of children. Keep container tightly closed. Keep away from sources of ignition – No smoking. | | | | |
| | | 16. OTHER INFORMAT | ION | | | |
| 16.1 | | | | | | |
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. | | | | |
| 16.3 | | This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of KIK Custom Product's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | | | | |
| 16.4 | Prepared By: | KIK Custom Products 2030 Old Candler Road Gainesville, GA 30507 USA Tel: +1 (770) 534-0300 Fax: +1 (770) 534-8954 http://www.kikcorp.com | KIK CUSTOM PRODUCTS | | | |



B-9946 E





B-9946 E

| Full Face Respirator | Reactive | Irritant / Harmful |
|----------------------|------------|--------------------|
| Biohazard | Oxidizing | Flammable |
| Infectious | Corrosive | Compressed |
| Toxic | Irritation | |